

PORTALP USA, Inc. WWW.PORTALP.COM

SW 10/19 OPERATOR

AUTOMATIC DOOR TURNKEY SOLUTIONS FOR **ACTIVATION, SECURITY** INTEGRATION AND **SAFETY**



ACCESSORIES PACKAGES | ACTIVATION DEVICES FOR SW 10/19 OPERATOR

PACKAGE 1 **WIRELESS SOLUTION**

SW 10/19 OPERATOR * SOLD SEPARATELY



✓ RECEIVER: 10RD433



PUSH PLATE: **10PBS1** - 4.75"

BOX: **10BOX475SQSM** - 4.75"

TRANSMITTER: 10TD433PB9V



PUSH PLATE: **10PBS1** - 4.75"

BOX: 10BOX475SQSM - 4.75"

TRANSMITTER: 10TD433PB9V

PACKAGE 2 WIRELESS SOLUTION



SW 10/19 OPERATOR * SOLD SEPARATELY



✓ RECEIVER: 10RD900



PUSH PLATE: **10PBS1 - 4.75"**

BOX: 10BOX475SQSM - 4.75"

TRANSMITTER: 10TD900PB



PUSH PLATE: **10PBS1** - 4.75"

BOX: 10BOX475SQSM - 4.75"

TRANSMITTER: 10TD900PB

PACKAGE 3 HARDWIRED SOLUTION



SW 10/19 OPERATOR * SOLD SEPARATELY



PUSH PLATE: **10PBS1**- 4.75"

BOX: **10BOX475SQSM** - 4.75"



PUSH PLATE: **10PBS1**- 4.75"

BOX: **10BOX475SQSM** - 4.75"

PACKAGE 4 HARDWIRED SOLUTION



SW 10/19 OPERATOR * SOLD SEPARATELY



WAVE TO OPEN: **10MS41D**- 4.75"

BOX: **10BOX475SQSM** - 4.75"



WAVE TO OPEN: **10MS41D** - 4.75"

BOX: **10BOX475SQSM** - 4.75"



SINGLE OR DOUBLE OPERATOR OPERATOR COMES WITH: PUSH ARM OR PULL ARM

OR **DOUBLE EGRESS COLORS: CLEAR OR DARK BRONZE**

+



OPTIONAL ACCESSORIES | ACTIVATION DEVICES FOR SW 10/19 OPERATOR



10BOX475SQFM Box, 4.75" Square, Flush Mount Box



10WRSQ475Weather Ring 4.75"
Square Box



10PBS451 Square , 4.5" Handicap Logo, "Push To Open" Text



10BOX45SQSM Box, 4.5" Square Box



10BOX45SQFM Box, 4.5" Square, Flush Mount Box



 ${\bf 10PBR451}$ Round , 4.5" w/logo & "Push To Open" Text



10BOX45RNDSM Box, 4.5" Surface Mount Round Box



10BOX45RNDDFM Box, 4.5" Round, Flush Mount Box



10PBR1 Round , 6" w/logo & "Push To Open" Text



10BOX6RNDSM Box, 6"
Surface Mount Round Box



10BOX6RNDFM Box, 6" Round, Flush Mount Box



10WRRND6 Box, 6" Round, Weather Ring



10MS41S - 4.5" (H) × 2.75" (W) Microwave Touchless Actuator + hand logo



OR

OR

OR WAVE TO OPEN



10MS31U - 4.5" (H) × 2.75" (W) Plastic Black, gray or white. Microwave Touchless Actuator + hand logo



10BOX24SGSM 4.5" (H) x 2.75" (W) Single Gang Surface Mount Box



10MS41D - 4.5" (H/W) Microwave Touchless Actuator + hand logo







10MS31U - 4.5" (H/W) Plastic Black, gray or white. Microwave Touchless Actuator + hand logo



10BOX45SQSM - Double gang 4.5" (H/W)




10BOLLARDBRZ / 10BOLLARDSLV / 10BOLLARDBLK 41 1/2" (H) x 6 1/4" (W) x 4 1/4" (D) - With cap Bollard - Bronze (BRZ) / Silver (SLV) / Black (BLK) With hole



10BOLLARDBRZWOH* / 10BOLLARDSLVWOH* / 10BOLLARDBLKWOH* 41 1/2" (H) x 6 1/4" (W) x 4 1/4" (D) - With cap Bollard - Bronze (BRZ) / Silver (SLV) / Black (BLK) *Without hole

SW 10/19 OPERATOR



▶ OPERATOR SW 10/19


- SINGLE OR DOUBLE OPERATOR
- PUSH ARM OR PULL ARM OR DOUBLE EGRESS
- CLEAR OR DARK BRONZE

ACTIVATION HARDWARE DEVICES



十

SECURITY HARDWARE DEVICES






PORTALP USA, Inc.

T. **412.823.3537** sales@portalp.com


WWW.**PORTALP.COM**



SAFETY, PRESENCE & MOTION SENSORS



TORPEDO: Proven active infrared technology (distance measurement sensor using the principle of triangulation) guarantees smooth and safe operation of a door intended to be used by the elderly and disabled people.





THE BAT: A state-of-the-art "DRO Technology" (DIELECTRIC RESONATOR OSCILLATOR) for the most reliable detection for full energy operations



 ${\color{red} 200.1068}$ - 4-7/8" (W) x 2-1/2" (H) x 2-1/4" Microwave motion sensor using Doppler Effect radar technology.





BODYGUARD-T: designed to protect pedestrians and other objects from being struck by the opening of a swinging or bi-folding door.



10BODYGUARDT - 12"(W) x 2"(H) x 2"(D) BODYGUARD-T is an overhead presence sensor designed for pedestrian automatic doors.